Project Name: Part Number: Type:

NURO-SW-7B-AC-BLE-WP-V1

POWERED BY ILLUMUS, BRANDS

7-Button Bluetooth Wired Wall Switch

FEATURES

- 7-Button Bluetooth Wired Wall Switch
- Powered via Line Voltage (120-277VAC)
- Bluetooth Transmission Range of up 100ft
- Turn On / Turn Off functions provided
- Allows for Dimming control Up or Down
- Set Four different Customizable Scenes
- Wall Plate Included
- Easily Controlled via Mobile Phone or Tablet with NUROAir app
- Available on iOS and Google Play Stores







DIGITAL NAVIGATION

Explore the spec sheet through the links below

COMPATIBLE FIXTURES **RESTORE FACTORY SETTINGS WIRING DIAGRAM**

APP DOWNLOAD

SUITABLE APPLICATIONS LINE DRAWINGS

BUTTON CONFIGURATIONS











SPECIFICATIONS: NURO-SW-7B-AC-BLE-WP-V1

Input Voltage	120-277VAC
Frequency	50/60Hz
Input Power	0.07W
Bluetooth Transmit	100ft Max
	2 / CLI= + FFN 41 -
Radio Frequency	2.4GHz ± 75MHz

Bluetooth Version	5
Housing Material	UL 94-5VA
Location	Indoor use only
Operating	0°C to 40°C, 32°F
Temperature	to 104°F
IP Rating	IP20

Color	Plate/White, Housing/Black
Warranty	5 year warranty
Compliance	UL Listed LED Controller FCC ID: 2BLDONUROSWTIA

COMPATIBLE FIXTURES

• All NUROAir Compatible Fixtures

SUITABLE APPLICATIONS

- Schools
- Warehouses

- Office
- Healthcare

- Auditoriums
- Retail

An ILLUMUS Brand 844-455-8687 www.nuroair.com support@nuroair.com



NURO-SW-7B-AC-BLE-WP-V1



7-Button Bluetooth Wired Wall Switch

RESTORE FACTORY SETTINGS

In the event that the switch does not appear on the Switches page of the app, it may have been previously assigned to another zone.


Remove the switch from the app on the Switches page to restore the switch(es) to the factory settings.









LINE DRAWINGS







WIRING DIAGRAM



- Wire Strip Length: 5/8"
- Suitable for standard outlet box


www.nuroair.com 844-455-8687 support@nuroair.com An ILLUMUS Brand 2 0——

NURO-SW-7B-AC-BLE-WP-V1



7-Button Bluetooth Wired Wall Switch

BUTTON CONFIGURATIONS



- Scene Switch 1
- 2 Scene Switch 2
- 3 Scene Switch 3
- 4 Scene Switch 4
- 5 Dimming Switch Up
- 6 Dimming Switch Down
- ON/OFF

1. To set the switch to pairing mode, press \sim & \sim together (as shown in orange on image to the left), and hold for 3 seconds, then release them to activate the pairing mode.

2. In NUROAir app "Switch" Section, press + icon on the top left or Click to Add button on the bottom to add the new switch to the app.

3. Switches will automatically stop pairing after 30 seconds or when a button is pressed.



APP DOWNLOAD









Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.